Experimental Mechanics (2008) 48:829–837

Index to

EXPERIMENTAL MECHANICS

Volume 48, 2008

TITLE INDEX

3D Heterogeneous Stiffness Reconstruction Using MRI and the Virtual Fields Method, S. Avril, J.M. Huntley, F. Pierron and D.D. Steele, 48(4), 479–494.

A Combined Static/Dynamic Technique for Damage Detection of Laminated Composite Plates, P.Z. Qiao, K. Lu and W. Lestari, 48(1), 17–35.

A Discrete Algorithm of Integrated Photoelasticity for Axisymmetric Problems, J. Anton, A. Errapart, H. Aben and L. Ainola, 48(5), 613–620.

A Finite Element Method for the Determination of Optimal Viscoelastic Material Properties from Indentation Tests of Polymer Film and Wire with Polymer Insulation, R.R. Resapu, K.B. Nagendran and R.D. Bradshaw, 48(6), 713–729.

A General Methodology for Full-Field Plastic Strain Measurements Using X-ray Absorption Tomography and Internal Markers, K. Haldrup, S.F. Nielsen and J.A. Wert, 48(2), 199–211.

A New Experimental Technique for the Multi-axial Testing of Advanced High Strength Steel Sheets, D. Mohr and M. Oswald, 48(1), 65–77.

A Novel Method for Uncertainty Inverse Problems and Application to Material Characterization of Composites, C. Jiang, G.R. Liu and X. Han, 48(4), 539–548.

A Pulse-Heated Kolsky Bar Technique for Measuring the Flow Stress of Metals at High Loading and Heating Rates, S.P. Mates, R. Rhorer, E. Whitenton, T. Burns and D. Basak, 48(6), 799–807.

A Study of Large Plastic Deformations in Dual Phase Steel Using Digital Image Correlation and FE Analysis, V. Tarigopula, O.S. Hopperstad, M. Langseth, A.H. Clausen, F. Hild, O.-G. Lademo and M. Eriksson, 48 (2), 181–196. ERRATUM: 197.

An Alternative Rail Pad Tester for Measuring Dynamic Properties of Rail Pads Under Large Preloads, S. Kaewunruen and A.M. Remennikov, 48(1), 55–64.

An Experimental Investigation into the Acoustic Characteristics of Fluid-filled Porous Structures—A Simplified Model of the Human Skull Cancellous Structure, A.K. Ghosh, A.D. Williams, J.M. Zucker, J.L. Mathews and N. Spinhirne, 48(2), 139–152.

An Experimental-Numerical Methodology for a Rapid Prototyped Application Combined with Finite Element Models in Vertebral Trabecular Bone, D.G. Woo, C.H. Kim, H.S. Kim and D. Lim, 48(5), 657–664.

An Innovative Method for 3-D Shape, Strain and Temperature Full-Field Measurement Using a Single Type of Camera: Principle and Preliminary Results, J.-J. Orteu, Y. Rotrou, T. Sentenac and L. Robert, 48(2), 163–179.

Automatic Full Strain Field Moiré Interferometry Measurement with Nano-scale Resolution, B. Chen and C. Basaran, 48(5), 665–673.

Biaxial Testing of Sheet Materials at High Strain Rates Using Viscoelastic Bars, V. Grolleau, G. Gary and D. Mohr, 48(3), 293–306.

Buckling of Stiffened Thin-Walled Truncated Cones Subjected to External Pressure, M.E. Barkey, M.C. Turgeon and T. Varun Nare, 48(3), 281–291.

Characterization of the Damping Behavior of a Nano-indentation Instrument for Carrying Out Dynamic Experiments, S.P. Singh, J.F. Smith and R.P. Singh, 48(5), 571–583, ERRATUM: 585.

Comparison of Test Specimens for Characterizing the Dynamic Properties of Rubber, M.A. Castellucci, A.T. Hughes and W.V. Mars, 48(1), 1–8.

Crack Detection in an Embedded Spindle using Broadband Modal Excitation, S. Ackers, D. Adams, R. Evans and B. Zwink, 48(4), 509–520.

Creep Properties and Recoverability of Double-wall Corrugated Paperboard, Y. Guo, Y. Fu and W. Zhang, 48(3), 327–333.

Deformation and Failure Modes of Soft Steel Projectiles Impacting Harder Steel Targets at Increasing Velocity, X.W. Chen, G. Chen and F.J. Zhang, 48(3), 335–354.

Development and Evaluation of the Quadrant Ring Test Method, E.J. Walsh and D.O. Adams, 48(3), 319–326.

Digital Image Correlation for Specimens with Multiple Growing Cracks, J.D. Helm, 48(6), 753–762.

Digital Image Mechanical Identification (DIMI), S. Roux and F. Hild, 48(4), 495–508.

Dynamic Crack Growth Past a Stiff Inclusion: Optical Investigation of Inclusion Eccentricity and Inclusion-matrix Adhesion Strength, R. Kitey and H.V. Tippur, 48(1), 37–53.

Dynamic Measurements of Impulses Generated by the Separation of Adhered Bodies under Near-Zero Gravity Conditions, D. Bortoluzzi, M. De Cecco, S. Vitale and M. Benedetti, 48(6), 777–787.

Effect of Pressure on Fluid Damping in MEMS Torsional Resonators with Flow Ranging from Continuum to Molecular Regime, A.K. Pandey, R. Pratap and F.S. Chau, 48(1), 91–106.

Embedded Digital Speckle Pattern Interferometry for Three-dimensional Strain Analysis, G. Restivo and G.L. Cloud, 48(6), 731–740.

Elastoplastic Behavior Identification for Heterogeneous Loadings and Materials, F. Latourte, A. Chrysochoos, S. Pagano and B. Wattrisse, 48(4), 435–449.

Fatigue Loading and Life Prediction in Three Fretting Fatigue Fixtures, P.J. Golden, A.L. Hutson, B.B. Bartha and T. Nicholas, 48(3), 253–263.

Full-field Thermal Deformation Measurements in a Scanning Electron Microscope by 2D Digital Image Correlation, N. Li, M.A. Sutton, X. Li and H.W. Schreier, 48(5), 635–646.

Identification and Damage Detection in Structures Subjected to Base Excitation, G. Fraraccio, A. Brügger and R. Betti, 48(4), 521–528.

Identification of Dynamic (Young's and Shear) Moduli of a Structural Adhesive Using Modal Based Direct Model Updating Method, K. Jahani and A.S. Nobari, 48(5), 599–611.

Identification of Heterogeneous Constitutive Parameters in a Welded Specimen: Uniform Stress and Virtual Fields Methods for Material Property Estimation, M.A. Sutton, J.H. Yan, S. Avril, F. Pierron and S.M. Adeeb, 48(4), 451–464.

Identification of Mechanical Material Behavior Through Inverse Modeling and DIC, S. Cooreman, D. Lecompte, H. Sol, J. Vantomme and D. Debruyne, 48(4), 421–433.

In-situ Measurement of Crystalline Lattice Strains in Polytetrafluoroethylene, E.N. Brown, P.J. Rae, D.M. Dattelbaum, B. Clausen and D.W. Brown, 48(1), 119–131.

Influence of Specimen Geometry on Split Hopkinson Tensile Bar Tests on Sheet Materials, P. Verleysen, J. Degrieck, T. Verstraete and J. Van Slycken, 48(5), 587–598.

Infrared Image Processing for the Calorimetric Analysis of Fatigue Phenomena, B. Berthel, A. Chrysochoos, B. Wattrisse and A. Galtier, 48(1), 79–90.

Integrated Measurement Technique for Curing Process-Dependent Mechanical Properties of Polymeric Materials Using Fiber Bragg Grating, Y. Wang, B. Han, D.W. Kim, A. Bar-Cohen and P. Joseph, 48(1), 107–117.

Interface Forces in Laterally Impacted Steel Tubes, M. Zeinoddini, G.A.R. Parke and J.E Harding, 48(3), 265–280.

Inverse Problems in Experimental Mechanics: Guest Editorial, F. Pierron and Y.-L. Lo, 48(4), 379.

Kinematic Fields and Acoustic Emission Observations Associated with the Portevin Le Châtelier Effect on an Al-Mg Alloy, H. Louche, K. Bouabdallah, P. Vacher, T. Coudert and P. Balland, 48(6), 741–751.

Kink Band Formation in Wood Species Under Compressive Loading, L. Benabou, 48(5), 647–656.

Material Property Differentiation in Indentation Testing Using Secondary Sensors, A. Balakrishnan and S. Socrate, 48(4), 549–558.

Mechanical Characterization of Biological Membranes with Moiré Techniques and Multi-Point Simulated Annealing, E. Cosola, K. Genovese, L. Lamberti and C. Pappalettere, 48(4), 465–478.

Measurements of Forces and Temperature Fields in High-Speed Machining of 6061-T6 Aluminum Alloy, R.V. Kazban, K.M. Vernaza Peña and J.J. Mason, 48(3), 307–317.

Microstructure and Tensile Mechanical Properties of Anisotropic Rigid Polyurethane Foam, M. Ridha and V.P.W. Shim, 48(6), 763–776.

Nondestructive Evaluation of Crack Depth in Concrete Using PCA-compressed Wave Transmission Function and Neural Networks, S.W. Shin, C.B. Yun, H. Futura and J.S. Popovics, 48(2), 225–231.

Nonlinear Assessment of Cable Vibration in a Stayed Bridge, F.J. Carrión-Viramontes, J.A. López-López, J.A. Quintana-Rodríguez and A. Lozano-Guzmán, 48(2), 153–161.

Nonlinear Identification Problems Under Large Deflections, N. Davendralingam and J.F. Doyle, 48(4), 529–538.

Observation of Stress Field Around an Oscillating Crack Tip in a Quenched Thin Glass Plate, S. Yoneyama, K. Sakaue, H. Kikuta and M. Takashi, 48(3), 367–374.

On the Repeatability of Friction and Wear Tests for Polyimides in a Hertzian Line Contact, P. Samyn, J. Quintelier and G. Schoukens, 48(2), 233–246.

Optical Metrology by Fringe Processing on Independent Windows Using a Genetic Algorithm, L.E. Toledo and F.J. Cuevas, 48(4), 559–569.

Overview of Identification Methods of Mechanical Parameters Based on Full-field Measurements, S. Avril, M. Bonnet, A.-S. Bretelle, M. Grédiac, F. Hild, P. Ienny, F. Latourte, D. Lemosse, S. Pagano, E. Pagnacco and F. Pierron, 48(4), 381–402.

Photoelastic Investigation of Slippage in Shrink-Fit Assemblies, I.A. Jones, C.E. Truman and J.D. Booker, 48(5), 621–633.

Simultaneous Transient Temperature Sensing of Impacted Polymers Using Infrared Detectors and Thermocouples, A. Regev and D. Rittel, 48(5), 675–682.
Stress Reconstruction and Constitutive Parameter Identification in Plane-Stress Elasto-plastic Problems Using Surface Measurements of Deformation Fields, S. Avril, F. Pierron, Y. Pannier and R. Rotinat, 48(4), 403–419.
Structural Analysis of Steel to Aluminum Welded Overlap Joint by Digital Image Correlation, G. Sierra, B. Wattrisse and C. Bordreuil, 48(2), 213–223.
TECHNICAL NOTE: A Long Split Hopkinson Pressure Bar (LSHPB) for Intermediate-rate Characterization of Soft Materials, B. Song, C.J. Syn, C.L. Grupido, W. Chen and W.-Y. Lu, 48(6), 809–815.
TECHNICAL NOTE: A Note on the Direct Determination of the Confining Pressure of Cylindrical Specimens, D. Rittel, E. Hanina and G. Ravichandran, 48(3), 375–377.
TECHNICAL NOTE: A Simple Closed-Loop Active Control of Electrodynamic Shakers by Acceleration Power Spectral Density for Environmental Vibration Tests, H.M. Gomes, D. dos Santos Gaspareto, F. de Souza Ferreira and C.A.K. Thomas, 48(5), 683–692.
TECHNICAL NOTE: Experimental Evaluation of Strain Shielding in Distal Femur in Revision TKA, A. Competo, J.A. Simões and F. Fonseca, 48(6), 817–824.
TECHNICAL NOTE: Hyperstatic Method of Photoelasticity, D. Rajamohan, 48(5), 693–696.
TECHNICAL NOTE: Monitoring Fatigue Crack Growth in Compact Tension Specimens Using Piezoelectric Sensors, A.L. Gama and S.R.K. Morikawa, 48(2), 247–252.
TECHNICAL NOTE: The Use of Acoustic Emission Monitoring to Rank Paper Materials with Respect to Their Fracture Toughness, P.A. Gradin, D. Graham, P. Nygård and H. Vallen, 48(1), 133–137.
The Validity Range of Low Fidelity Structural Membrane Models, B. Stanford and P. Ifju, 48(6), 697–711.
Thermoplastic Polymer Shrinkage in Emerging Molding Processes, A.L. Gershon, L.S. Gyger Jr., H.A. Bruck and S.K. Gupta, 48(6), 789–798
Using Carrier Fringes to Study the High Temperature Deformation Behavior of a BGA Package Under Extended Dwell Times, K.R. Tunga and S.K. Sitaraman, 48(3), 355–365.
Young's Modulus Measurement Using a Simplified Transparent Indenter Measurement Technique, C. Feng and B.S. Kang, 48(1), 9–15.

AUTHOR INDEX

Aben, H.—A Discrete Algorithm of Integrated Photoelasticity for Axisymmetric Problems, 48(5), 613–620.
Ackers, S.—Crack Detection in an Embedded Spindle using Broadband Modal Excitation, 48(4), 509–520.
Adams, D.—Crack Detection in an Embedded Spindle using Broadband Modal Excitation, 48(4), 509–520.
Adams, D.O.—Development and Evaluation of the Quadrant Ring Test Method, 48(3), 319–326.
Adeeb, S.M.—Identification of Heterogeneous Constitutive Parameters in a Welded Specimen: Uniform Stress and Virtual Fields Methods for Material Property Estimation, 48(4), 451–464.
Ainola, L.—A Discrete Algorithm of Integrated Photoelasticity for Axisymmetric Problems, 48(5), 613–620.
Anton, J.—A Discrete Algorithm of Integrated Photoelasticity for Axisymmetric Problems, 48(5), 613–620.
Avril, S.—3D Heterogeneous Stiffness Reconstruction Using MRI and the Virtual Fields Method, 48(4), 479–494.
Avril, S.—Identification of Heterogeneous Constitutive Parameters in a Welded Specimen: Uniform Stress and Virtual Fields Methods for Material Property Estimation, 48(4), 451–464.
Avril, S.—Overview of Identification Methods of Mechanical Parameters Based on Full-field Measurements, 48(4), 381–402.
Avril, S.—Stress Reconstruction and Constitutive Parameter Identification in Plane-Stress Elasto-plastic Problems Using Surface Measurements of Deformation Fields, 48(4), 403–419.
Balakrishnan, A.—Material Property Differentiation in Indentation Testing Using Secondary Sensors, 48(4), 549–558.
Balland, P.—Kinematic Fields and Acoustic Emission Observations Associated with the Portevin Le Châtelier Effect on an Al-Mg Alloy, 48(6), 741–751.
Bar-Cohen, A.—Integrated Measurement Technique for Curing Process-Dependent Mechanical Properties of Polymeric Materials using Fiber Bragg Grating, 48(1), 107–117.
Barkey, M.E.—Buckling of Stiffened Thin-Walled Truncated Cones Subjected to External Pressure, 48(3), 281–291.
Bartha, B.B.—Fatigue Loading and Life Prediction in Three Fretting Fatigue Fixtures, 48(3), 253–263.
Basak, D.—A Pulse-Heated Kolsky Bar Technique for Measuring the Flow Stress of Metals at High Loading and Heating Rates, 48(6), 799–807.
Basaran, C.—Automatic Full Strain-Field Moiré Interferometry Measurement with Nano-scale Resolution, 48(5), 665–673.
Benabou, L.—Kink Band Formation in Wood Species Under Compressive Loading, 48(5), 647–656.
Benedetti, M.—Dynamic Measurements of Impulses Generated by the Separation of Adhered Bodies under Near-Zero Gravity Conditions, 48(6), 777–787

Berthel, B.—Infrared Image Processing for the Calorimetric Analysis of Fatigue Phenomena, 48(1), 79–90.

Betti, R.—Identification and Damage Detection in Structures Subjected to Base Excitation, 48(4), 521–528.

Bonnet, M.—Overview of Identification Methods of Mechanical Parameters Based on Full-field Measurements, 48(4), 381–402.

Booker, J.D.—Photoelastic Investigation of Slippage in Shrink-Fit Assemblies, 48(5), 621–633.

Bordreuil, C.—Structural Analysis of Steel to Aluminum Welded Overlap Joint by Digital Image Correlation, 48(2), 213–223.

Bortoluzzi, D.—Dynamic Measurements of Impulses Generated by the Separation of Adhered Bodies under Near-Zero Gravity Conditions, 48(6), 777–787.

Bouabdallah, K.—Kinematic Fields and Acoustic Emission Observations Associated with the Portevin Le Châtelier Effect on an Al-Mg Alloy, 48(6), 741–751.

Bradshaw, R.D.—A Finite Element Method for Determination of Optimal Viscoelastic Material Properties from Indentation Tests of Polymer Film and Wire with Polymer Insulation, 48(6), 713–729

Bretelle, A.-S.—Overview of Identification Methods of Mechanical Parameters Based on Full-field Measurements, 48(4), 381–402.

Brown, D.W.—*In-situ* Measurement of Crystalline Lattice Strains in Polytetrafluoroethylene, 48(1), 119–131

Brown, E.N.—*In-situ* Measurement of Crystalline Lattice Strains in Polytetrafluoroethylene, 48(1), 119–131.

Bruck, H.A.—Thermoplastic Polymer Shrinkage in Emerging Molding Processes, 48(6), 789–798.

Brügger, A.—Identification and Damage Detection in Structures Subjected to Base Excitation, 48(4), 521–528.

Burns, T.—A Pulse-Heated Kolsky Bar Technique for Measuring the Flow Stress of Metals at High Loading and Heating Rates, 48(6), 799–807.

Carrión-Viramontes, F.J.—Nonlinear Assessment of Cable Vibration in a Stayed Bridge, 48(2), 153–161.

Castellucci, M.A.—Comparison of Test Specimens for Characterizing the Dynamic Properties of Rubber, 48(1), 1–8.

Chau, F.S.—Effect of Pressure on Fluid Damping in MEMS Torsional Resonators with Flow Ranging from Continuum to Molecular Regime, 48(1), 91–106.

Chen, B.—Automatic Full Strain-Filed Moiré Interferometry Measurement with Nano-scale Resolution, 48(5), 665–673.

Chen, G.—Deformation and Failure Modes of Soft Steel Projectiles Impacting Harder Steel Targets at Increasing Velocity, 48(3), 335–354.

Chen, W.—TECHNICAL NOTE: A Long Split Hopkinson Pressure Bar (LSHPB) for Intermediate-rate Characterization of Soft Materials, 48(6), 809–815.

Chen, X.W.—Deformation and Failure Modes of Soft Steel Projectiles Impacting Harder Steel Targets at Increasing Velocity, 48(3), 335–354.

Chrysochoos, A.—Elastoplastic Behavior Identification for Heterogeneous Loadings and Materials, 48(4), 435–449.

Chrysochoos, A.—Infrared Image Processing for the Calorimetric Analysis of Fatigue Phenomena, 48(1), 79–90.

Clausen, A.H.—A Study of Large Plastic Deformations in Dual Phase Steel Using Digital Image Correlation and FE Analysis, 48(2), 181–193, ERRATUM: 197.

Clausen, B.—*In-situ* Measurement of Crystalline Lattice Strains in Polytetrafluoroethylene, 48(1), 119–131.

Cloud, G.L.—Embedded Digital Speckle Pattern Interferometry for Three-dimensional Strain Analysis, 48(6), 731–740.

Completo, A.—TECHNICAL NOTE: Experimental Evaluation of Strain Shielding in Distal Femur in Revision TKA, 48(6), 817–824.

Cooreman, S.—Identification of Mechanical Material Behavior Through Inverse Modeling and DIC, 48(4), 421–433.

Cosola, E.—Mechanical Characterization of Biological Membranes with Moiré Techniques and Multi-Point Simulated Annealing, 48(4), 465–478.

Coudert, T.—Kinematic Fields and Acoustic Emission Observations Associated with the Portevin Le Châtelier Effect on an Al-Mg Alloy, 48(6), 741–751.

Cuevas, F.J.—Optical Metrology by Fringe Processing on Independent Windows Using a Genetic Algorithm, 48(4), 559–569.

Dattelbaum, D.M.—*In-situ* Measurement of Crystalline Lattice Strains in Polytetrafluoroethylene, 48(1), 119–131.

Davendralingam, N.—Nonlinear Identification Problems Under Large Deflections, 48(4), 529–538.

De Cecco, M.—Dynamic Measurements of Impulses Generated by the Separation of Adhered Bodies under Near-Zero Gravity Conditions, 48(6), 777–787.

de Souza Ferriera, F.—TECHNICAL NOTE: A Simple Closed-Loop Active Control of Electrodynamic Shakers by Acceleration Power Spectral Density for Environmental Vibration Tests, 48(5), 683–692.

Debruyne, D.—Identification of Mechanical Material Behavior Through Inverse Modeling and DIC, 48(4), 421–433.

Degrieck, J.—Influence of Specimen Geometry on Split Hopkinson Tensile Bar Tests on Sheet Materials, 48(5), 587–598.

dos Santos Gaspareto, D.—TECHNICAL NOTE: A Simple Closed-Loop Active Control of Electrodynamic Shak-

ers by Acceleration Power Spectral Density for Environmental Vibration Tests, 48(5), 683–692.
Doyle, J.F.—Nonlinear Identification Problems Under Large Deflections, 48(4), 529–538.
Eriksson, M.—A Study of Large Plastic Deformations in Dual Phase Steel Using Digital Image Correlation and FE Analysis, 48(2), 181–196, ERRATUM: 197.
Errapart, A.—A Discrete Algorithm of Integrated Photoelasticity for Axisymmetric Problems, 48(5), 613–620.
Evans, R.—Crack Detection in an Embedded Spindle using Broadband Modal Excitation, 48(4), 509–520.
Feng, C.—Young's Modulus Measurement Using a Simplified Transparent Indenter Measurement Technique, 48(1), 9–15.
Fonseca, F.—TECHNICAL NOTE: Experimental Evaluation of Strain Shielding in Distal Femur in Revision TKA, 48(6), 817–824.
Fraraccio, G.—Identification and Damage Detection in Structures Subjected to Base Excitation, 48(4), 521–528.
Fu, Y.—Creep Properties and Recoverability of Double-wall Corrugated Paperboard, 48(3), 327–333.
Futura, H.—Nondestructive Evaluation of Crack Depth in Concrete using PCA-compressed Wave Transmission Function and Neural Networks, 48(2), 225–231.
Gama, A.L.—TECHNICAL NOTE: Monitoring Fatigue Crack Growth in Compact Tension Specimens Using Piezoelectric Sensors, 48(2), 247–252.
Galtier, A.—Infrared Image Processing for the Calorimetric Analysis of Fatigue Phenomena, 48(1), 79–90.
Gary, G.—Biaxial Testing of Sheet Materials at High Strain Rates Using Viscoelastic Bars, 48(3), 293–306.
Genovese, K.—Mechanical Characterization of Biological Membranes with Moiré Techniques and Multi-Point Simulated Annealing, 48(4), 465–478.
Gershon, A.L.—Thermoplastic Polymer Shrinkage in Emerging Molding Processes, 48(6), 789–798.
Ghosh, A.K.—An Experimental Investigation into the Acoustic Characteristics of Fluid-filled Porous Structures—A Simplified Model of the Human Skull Cancellous Structure, 48(2), 139–152.
Golden, P.J.—Fatigue Loading and Life Prediction in Three Fretting Fatigue Fixtures, 48(3), 253–263.
Gomes, H.M.—TECHNICAL NOTE: A Simple Closed-Loop Active Control of Electrodynamic Shakers by Acceleration Power Spectral Density for Environmental Vibration Tests, 48(5), 683–692.
Gradin, P.A.—TECHNICAL NOTE: The Use of Acoustic Emission Monitoring to Rank Paper Materials with Respect to Their Fracture Toughness, 48(1), 133–137.
Graham, D.—TECHNICAL NOTE: The Use of Acoustic Emission Monitoring to Rank Paper Materials with Respect to Their Fracture Toughness, 48(1), 133–137.
Grédiac, M.—Overview of Identification Methods of Mechanical Parameters Based on Full-field Measurements, 48(4), 381–402.
Grolleau, V.—Biaxial Testing of Sheet Materials at High Strain Rates Using Viscoelastic Bars, 48(3), 293–306.
Guo, Y.—Creep Properties and Recoverability of Double-wall Corrugated Paperboard, 48(3), 327–333.
Grupido, C.L.—TECHNICAL NOTE: A Long Split Hopkinson Pressure Bar (LSHPB) for Intermediate-rate Characterization of Soft Materials, 48(6), 809–815.
Gupta, S.K.—Thermoplastic Polymer Shrinkage in Emerging Molding Processes, 48(6), 789–798.
Gyger Jr., L.S.—Thermoplastic Polymer Shrinkage in Emerging Molding Processes, 48(6), 789–798.
Haldrup, K.—A General Methodology for Full-Field Plastic Strain Measurements Using X-ray Absorption Tomography and Internal Markers, 48(2), 199–211.
Han, B.—Integrated Measurement Technique for Curing Process-Dependent Mechanical Properties of Polymeric Materials Using Fiber Bragg Grating, 48(1), 107–117.
Han, X.—A Novel Method for Uncertainty Inverse Problems and Applications to Material Characterization of Composites, 48(4), 539–548.
Hanina, E.—TECHNICAL NOTE: A Note on the Direct Determination of the Confining Pressure of Cylindrical Specimens, 48(3), 375–377.
Harding, J.E.—Interface Forces in Laterally Impacted Steel Tubes, 48(3), 265–280.
Helm, J.D.—Digital Image Correlation for Specimens with Multiple Growing Cracks, 48(6), 753–762.
Hild, F.—A Study of Large Plastic Deformations in Dual Phase Steel Using Digital Image Correlation and FE Analysis, 48(2), 181–196, ERRATUM: 197.
Hild, F.—Digital Image Mechanical Identification (DIMI), 48(4), 495–508.
Hild, F.—Overview of Identification Methods of Mechanical Parameters Based on Full-field Measurements, 48(4), 381–402.
Hopperstad, O.S.—A Study of Large Plastic Deformations in Dual Phase Steel Using Digital Image Correlation and FE Analysis, 48(2), 181–196, ERRATUM: 197.
Hughes, A.T.—Comparison of Test Specimens for Characterizing the Dynamic Properties of Rubber, 48(1), 1–8.
Huntely, J.M.—3D Heterogeneous Stiffness Reconstruction Using MRI and the Virtual Fields Method, 48(4), 479–494.
Hutson, A.L.—Fatigue Loading and Life Prediction in Three Fretting Fatigue Fixtures, 48(3), 253–263.

Ienny, P.—Overview of Identification Methods of Mechanical Parameters Based on Full-field Measurements, 48(4), 381–402.

Ifju, P.—The Validity Range of Low Fidelity Structural Membrane Models, 48(6), 697–711.

Jahani, K.—Identification of Dynamic (Young's and Shear) Moduli of a Structural Adhesive Using Modal Based Direct Model Updating Method, 48(5), 599–611.

Jiang, C.—A Novel Method for Uncertainty Inverse Problems and Applications to Material Characterization of Composites, 48(4), 539–548.

Jones, I.A.—Photoelastic Investigation of Slippage in Shrink-Fit Assemblies, 48(5), 621–633.

Joseph, P.—Integrated Measurement Technique for Curing Process-Dependent Mechanical Properties of Plymeric Materials Using Fiber Bragg Grating, 48(1), 107–117.

Kaewunruen, S.—An Alternative Rail Pad Tester for Measuring Dynamic Properties of Rail Pads Under Large Preloads, 48(1), 55–64.

Kang, B.S.—Young's Modulus Measurement Using a Simplified Transparent Indenter Measurement Technique, 48(1), 9–15.

Kazban, R.V.—Measurements of Forces and Temperature Fields in High-Speed Machining of 6061-T6 Aluminum Alloy, 48(3), 307–317.

Kikuta, H.—Observation of Stress Field Around an Oscillating Crack Tip in a Quenched Thin Glass Plate, 48(3), 367–374.

Kim, C.H.—An Experimental-Numerical Methodology for a Rapid Prototyped Application Combined with Finite Element Models in Vertebral Trabecular Bone, 48(5), 657–664.

Kim, D.W.—Integrated Measurement Technique for Curing Process-Dependent Mechanical Properties of Polymeric Materials Using Fiber Bragg Grating, 48(1), 107–117.

Kim, H.S.—An Experimental-Numerical Methodology for a Rapid Prototyped Application Combined with Finite Element Models in Vertebral Trabecular Bone, 48(5), 657–664.

Kitey, R.—Dynamic Crack Growth Past a Stiff Inclusion: Optical Investigation of Inclusion Eccentricity and Inclusion-matrix Adhesion Strenth, 48(1), 37–53.

Lademo, O.-G.—A Study of Large Plastic Deformations in Dual Phase Steel Using Digital Image Correlation and FE Analysis, 48(2), 181–196, ERRATUM: 197.

Lamberti, L.—Mechanical Characterization of Biological Membranes with Moiré Techniques and Multi-Point Simulated Annealing, 48(4), 465–478.

Langseth, M.—A Study of Large Plastic Deformations in Dual Phase Steel Using Digital Image Correlation and FE Analysis, 48(2), 181–196, ERRATUM: 197.

Latourte, F.—Elastoplastic Behavior Identification for Heterogeneous Loadings and Materials, 48(4), 435–449.

Latourte, F.—Overview of Identification Methods of Mechanical Parameters Based on Full-field Measurements, 48(4), 381–402.

Lecompte, D.—Identification of Mechanical Material Behavior Through Inverse Modeling and DIC, 48(4), 421–433.

Lemosse, D.—Overview of Identification Methods of Mechanical Parameters Based on Full-field Measurements, 48(4), 381–402.

Lesari, W.—A Combined Static/Dynamic Technique for Damage Detection of Laminated Composite Plates, 48(1), 17–35.

Li, N.—Full-field Thermal Deformation Measurements in a Scanning Electron Microscope by 2D Digital Image Correlation, 48(5), 635–646.

Li, X.—Full-field Thermal Deformation Measurements in a Scanning Electron Microscope by 2D Digital Image Correlation, 48(5), 635–646.

Lim, D.—An Experimental-Numerical Methodology for a Rapid Prototyped Application Combined with Finite Element Models in Vertebral Trabecular Bone, 48(5), 657–664.

Liu, G.R.—A Novel Method for Uncertainty Inverse Problems and Application to Material Characterization of Composites, 48(4), 539–548.

Lo, Y.-L.—Inverse Problems in Experimental Mechanics: Guest Editorial, 48(4), 379.

López-López, J.A.—Nonlinear Assessment of Cable Vibration in a Stayed Bridge, 48(2), 153–161.

Louche, H.—Kinematic Fields and Acoustic Emission Observations Associated with the Portevin Le Châtelier Effect on an Al-Mg Alloy, 48(6), 741–751.

Lozano-Guzmán, A.—Nonlinear Assessment of Cable Vibration in a Stayed Bridge, 48(2), 153–161.

Lu, K.—A Combined Static/Dynamic Technique for Damage Detection of Laminated Composite Plates, 48(1), 17–35.

Lu, W.-Y.—TECHNICAL NOTE: A Long Split Hopkinson Pressure Bar (LSHPB) for Intermediate-rate Characterization of Soft Materials, 48(6), 809–815.

Mars, W.V.—Comparison of Test Specimens for Characterizing the Dynamic Properties of Rubber, 48(1), 1–8.

Mason, J.J.—Measurements of Forces and Temperature Fields in High-Speed Machining of 6061-T6 Aluminum Alloy, 48(3), 307–317.

Mates, S.P.—A Pulse-Heated Kolsky Bar Technique for Measuring the Flow Stress of Metals at High Loading and Heating Rates, 48(6), 799–807.

Mathews, J.L.—An Experimental Investigation into the Acoustic Characteristics of Fluid-filled Porous Struc-

tures—A Simplified Model of the Human Skull Cancellous Structure, 48(2), 139–152.
Mohr, D.—A New Experimental Technique for the Multi-axial Testing of Advanced High Strength Steel Sheets, 48(1), 65–77.
Mohr, D.—Biaxial Testing of Sheet Materials at High Strain Rates Using Viscoelastic Bars, 48(3), 293–306.
Morikawa, S.R.K.—TECHNICAL NOTE: Monitoring Fatigue Crack Growth in Compact Tension Specimens Using Piezoelectric Sensors, 48(2), 247–252.
Nagendran, K.B.—A Finite Element Method for the Determination of Optimal Viscoelastic Material Properties from Indentation Tests of Polymer Film and Wire with Polymer Insulation, 48(6), 713–729.
Nichols, T.—Fatigue Loading and Life Prediction in Three Fretting Fatigue Fixtures, 48(3), 253–263.
Nielsen, S.F.—A General Methodology for Full-Field Plastic Strain Measurements Using X-ray Absorption Tomography and Internal Markers, 48(2), 199–211.
Nobari, A.S.—Identification of Dynamic (Young's and Shear) Moduli of a Structural Adhesive Using Modal Based Direct Model Updating Method, 48(5), 599–611.
Nygård, P.—TECHNICAL NOTE: The Use of Acoustic Emission Monitoring to Rank Paper Materials with Respect to Their Fracture Toughness, 48(1), 133–137.
Orteu, J.-J.—An Innovative Method for 3-D Shape, Strain and Temperature Full-Field Measurement Using a Single Type Camera: Principle and Preliminary Results, 48(2), 163–179.
Oswald, M.—A New Experimental Technique for the Multi-axial Testing of Advanced High Strength Steel Sheets, 48(1), 65–77.
Pagano, S.—Elastoplastic Behavior Identification for Heterogeneous Loadings and Materials, 48(4), 435–449.
Pagano, S.—Overview of Identification Methods of Mechanical Parameters Based on Full-field Measurements, 48(4), 381–402.
Pagnacco, E.—Overview of Identification Methods of Mechanical Parameters Based on Full-field Measurements, 48(4), 381–402.
Pandey, A.K.—Effect of Pressure on Fluid Damping in MEMS Torsional Resonators with Flow Ranging from Continuum to Molecular Regime, 48(1), 91–106.
Pannier, Y.—Stress Reconstruction and Constitutive Parameter Identification in Plane-Stress Elasto-plastic Problems Using Surface Measurements of Deformation Fields, 48(4), 403–419.
Pappalettere, C.—Mechanical Characterization of Biological Membranes with Moiré Techniques and Multi-Point Simulated Annealing, 48(4), 465–478.
Parke, G.A.R.—Interface Forces in Laterally Impacted Steel Tubes, 48(3), 265–280.
Pierron, F.—3D Heterogeneous Stiffness Reconstruction Using MRI and the Virtual Fields Method, 48(4), 479–494.
Pierron, F.—Identification of Heterogeneous Constitutive Parameters in a Welded Specimen: Uniform Stress and Virtual Fields Methods for Material Property Estimation, 48(4), 451–464.
Pierron, F.—Inverse Problems in Experimental Mechanics: Guest Editorial, 48(4), 379.
Pierron, F.—Overview of Identification Methods of Mechanical Parameters Based on Full-field Measurements, 48(4), 381–402.
Pierron, F.—Stress Reconstruction and Constitutive Parameter Identification in Plane-Stress Elasto-plastic Problems Using Surface Measurements of Deformation Fields, 48(4), 403–419.
Popovics, J.S.—Nondestructive Evaluation of Crack Depth in Concrete Using PCA-compressed Wave Transmission Function and Neural Networks, 48(2), 225–231.
Pratap, R.—Effect of Pressure on Fluid Damping in MEMS Torsional Resonators with Flow Ranging from Continuum to Molecular Regime, 48(1), 91–106.
Qiao, P.Z.—A Combined Static/Dynamic Technique for Damage Detection of Laminated Composite Plates, 48(1), 17–35.
Quintana-Rodríguez, J.A.—Nonlinear Assessment of Cable Vibration in a Stayed Bridge, 48(2), 153–161.
Quintelier, J.—On the Repeatability of Friction and Wear Tests for Polymides in a Hertzian Line Contact, 48(2), 233–246.
Rae, P.J.—*In-situ* Measurement of Crystalline Lattice Strains in Polytetrafluoroethylene, 48(1), 119–131.
Rajamohan, D.—TECHNICAL NOTE: Hyperstatic Method of Photoelasticity, 48(5), 693–696.
Ravichandran, G.—TECHNICAL NOTE: A Note on the Direct Determination of the Confining Pressure of Cylindrical Specimens, 48(3), 375–377.
Regev, A.—Simultaneous Transient Temperature Sensing of Impacted Polymers Using Infrared Detectors and Thermocouples, 48(5), 675–682.
Remennikov, A.M.—An Alternative Rail Pad Tester for Measuring Dynamic Properties of Rail Pads Under Large Preloads, 48(1), 55–64.
Resapu, R.R.—A Finite Element Method for the Determination of Optimal Viscoelastic Material Properties from Indentation Tests of Polymer Film and Wire with Polymer Insulation, 48(6), 713–729.
Restivo, G.—Embedded Digital Speckle Pattern Interferometry for Three-dimensional Strain Analysis, 48(6), 731–740.
Rhorer, R.—A Pulse-Heated Kolsky Bar Technique for Measuring the Flow Stress of Metals at High Loading and Heating Rates, 48(6), 799–807.

Ridha, M.—Microstructure and Tensile Mechanical Properties of Anisotropic Rigid Polyurethane Foam, 48(6), 763–776.

Rittel, D.—Simultaneous Transient Temperature Sensing of Impacted Polymers Using Infrared Detectors and Thermocouples, 48(5), 675–682.

Rittel, D.—TECHNICAL NOTE: A Note on the Direct Determination of the Confining Pressure of Cylindrical Specimens, 48(3), 375–377.

Robert, L.—An Innovative Method for 3-D Shape, Strain and Temperature Full-Field Measurement Using a Single Type of Camera: Principle and Preliminary Reulsts, 48(2), 163–179.

Rotinat, R.—Stress Reconstruction and Constitutive Parameter Identification in Plane-Stress Elasto-plastic Problems Using Surface Measurements of Deformation Fields, 48(4), 403–419.

Rotrou, Y.—An Innovative Method for 3-D Shape, Strain and Temperature Full-Field Measurement Using a Single Type of Camera: Principle and Preliminary Reulsts, 48(2), 163–179.

Roux, S.—Digital Image Mechanical Identification (DIMI), 48(4), 495–508.

Sakaue, K.—Observation of Stress Field Around an Oscillating Crack Tip in a Quenched Thin Glass Plate, 48(3), 367–374.

Samyn, P.—On the Repeatability of Friction and Wear Tests for Polyimides in a Hertzian Line Contact, 48(2), 233–246.

Schoukens, G.—On the Repeatability of Friction and Wear Tests for Polyimides in a Hertzian Line Contact, 48(2), 233–246.

Schreier, H.W.—Full-field Thermal Deformation Measurements in a Scanning Electron Microscope by 2D Digital Image Correlation, 48(5), 635–646.

Sentenac, T.—An Innovative Method for 3-D Shape, Strain and Temperature Full-Field Measurement Using a Single Type of Camera: Principle and Preliminary Results, 48(2), 163–179.

Shim, V.P.W.—Microstructure and Tensile Mechanical Properties of Anisotropic Rigid Polyurethane Foam, 48(6), 763–776.

Shin, S.W.—Nondestructive Evaluation of Crack Depth in Concrete Using PCA-compressed Wave Transmission Function and Neural Networks, 48(2), 225–231.

Sierra, G.—Structural Analysis of Steel to Aluminum Welded Overlap Joint by Digital Image Correlation, 48(2), 213–223.

Simões, J.A.—TECHNICAL NOTE: Experimental Evaluation of Strain Shielding in Distal Femur in Revision TKA, 48(6), 817–824.

Singh, R.P.—Characterization of the Damping Behavior of a Nanoindentation Instrument for Carrying Out Dynamic Experiments, 48(5), 571–583, ERRATUM: 585.

Singh, S.P.—Characterization of the Damping Behavior of a Nanoindentation Instrument for Carrying Out Dynamic Experiments, 48(5), 571–583, ERRATUM: 585.

Sitaraman, S.K.—Using Carrier Fringes to Study the High Temperature Deformation Behavior of a BGA Package Under Extended Dwell Times, 48(3), 355–365.

Smith, J.F.—Characterization of the Damping Behavior of a Nanoindentation Instrument for Carrying Out Dynamic Experiments, 48(5), 571–583, ERRATUM: 585.

Socrate, S.—Material Property Differentiation in Indentation Testing using Secondary Sensors, 48(4), 549–558.

Sol, H.—Identification of Mechanical Material Behavior Through Inverse Modeling and DIC, 48(4), 421–433.

Song, B.—TECHNICAL NOTE: A Long Split Hopkinson Pressure Bar (LSHPB) for Intermediate-rate Characterization of Soft Materials, 48(6), 809–815

Spinhirne, N.—An Experimental Investigation into the Acoustic Characteristics of Fluid-filled Porous Structures—A Simplified Model of the Human Skull Cancellous Structure, 48(2), 139–152.

Stanford, B.—The Validity Range of Low Fidelity Structural Membrane Models, 48(6), 697–711

Steele, D.D.—3D Heterogeneous Stiffness Reconstruction Using MRI and the Virtual Fields Method, 48(4), 479–494.

Sutton, M.A.—Full-field Thermal Deformation Measurements in a Scanning Electron Microscope by 2D Digital Image Correlation, 48(5), 635–646.

Sutton, M.A.—Identification of Heterogeneous Constitutive Parameters in a Welded Specimen: Uniform Stress and Virtual Fields Methods for Material Property Estimation, 48(4), 451–464.

Syn, C.J.—TECHNICAL NOTE: A Long Split Hopkinson Pressure Bar (LSHPB) for Intermediate-rate Characterization of Soft Materials, 48(6), 809–815

Takashi, M.—Observation of Stress Field Around an Oscillating Crack Tip in a Quenched Thin Glass Plate, 48(3), 367–374.

Tarigopula, V.—A Study of Large Plastic Deformations in Dual Phase Steel Using Digital Image Correlation and FE Analysis, 48(2), 181–196, ERRATUM: 197.

Thomas, C.A.K.—TECHNICAL NOTE: A Simple Closed-Loop Active Control of Electrodynamic Shakers by Acceleration Power Spectral Density for Environmental Vibration Tests, 48(5), 683–692.

Tippur, H.V.—Dynamic Crack Growth Past a Stiff Inclusion: Optical Investigation of Inclusion Eccentricity and Inclusion-matrix Adhesion Strength, 48(1), 37–53.

Toledo, L.E.—Optical Metrology by Fringe Processing on Independent Windows Using a Genetic Algorthim, 48(4), 559–569.

Truman, C.E.—Photoelastic Investigation of Slippage in Shrink-Fit Assemblies, 48(5), 621–633.

Tunga, K.R.—Using Carrier Fringes to Study the High Temperature Deformation Behavior of a BGA Package Under Extended Dwell Times, 48(3), 355–365.

Turgeon, M.C.—Buckling of Stiffened Thin-Walled Truncated Cones Subjected to External Pressure, 48(3), 281–291.

Vacher, P.—Kinematic Fields and Acoustic Emission Observations Associated with the Portevin Le Châtelier Effect on an Al-Mg Alloy, 48(6), 741–751

Vallen, H.—TECHNICAL NOTE: The Use of Acoustic Emission Monitoring to Rank Paper Materials with Respect to Their Fracture Toughness, 48(1), 133–137.

Van Slycken, J.—Influence of Specimen Geometry on Split Hopkinson Tensile Bar Tests on Sheet Materials, 48(5), 587–598.

Vantomme, J.—Identification of Mechanical Material Behavior Through Inverse Modeling and DIC, 48(4), 421–433.

Varun Nare, T.—Buckling of Stiffened Thin-Walled Truncated Cones Subjected to External Pressure, 48(3), 281–291.

Verleysen, P.—Influence of Specimen Geometry on Split Hopkinson Tensile Bar Tests on Sheet Materials, 48(5), 587–598.

Vernaza Peña, K.M.—Measurements of Forces and Temperature Fields in High-Speed Machining of 6061-T6 Aluminum Alloy, 48(3), 307–317.

Verstraete, T.—Influence of Specimen Geometry on Split Hopkinson Tensile Bar Tests on Sheet Materials, 48(5), 587–598.

Vitale, S.—Dynamic Measurements of Impulses Generated by the Separation of Adhered Bodies under Near-Zero Gravity Conditions, 48(6), 777–787

Walsh, E.J.—Development and Evaluation of the Quadrant Ring Test Method, 48(3), 319–326.

Wang, Y.—Integrated Measurement Technique for Curing Process-Dependent Mechanical Properties of Polymeric Materials Using Fiber Bragg Grating, 48(1), 107–117.

Wattrisse, B.—Elastoplastic Behavior Identification for Heterogeneous Loadings and Materials, 48(4), 435–449.

Wattrisse, B.—Infrared Image Processing for the Calorimetric Analysis of Fatigue Phenomena, 48(1), 79–90.

Wattrisse, B.—Structural Analysis of Steel to Aluminum Welded Overlap Joint by Digital Image Correlation, 48(2), 213–223.

Wert, J.A.—A General Methodology for Full-Field Plastic Strain Measurements Using X-ray Absorption Tomography and Internal Markers, 48(2), 199–211.

Whitenton, E.—A Pulse-Heated Kolsky Bar Technique for Measuring the Flow Stress of Metals at High Loading and Heating Rates, 48(6), 799–807

Williams, A.D.—An Experimental Investigation into the Acoustic Characteristics of Fluid-filled Porous Structures—A Simplified Model of the Human Skull Cancellous Structure, 48(2), 139–152.

Woo, D.G.—An Experimental-Numerical Methodology for a Rapid Prototyped Application Combined with Finite Element Models in Vertebral Trabecular Bone, 48(5), 657–664.

Yan, J.H.—Identification of Heterogeneous Constitutive Parameters in a Welded Specimen: Uniform Stress and Virtual Fields Methods for Material Property Estimation, 48(4), 451–464.

Yoneyama, S.—Observation of Stress Field Around an Oscillating Crack Tip in a Quenched Thin Glass Plate, 48(3), 367–374.

Yun, C.B.—Nondestructive Evaluation of Crack Depth in Concrete Using PCA-compressed Wave Transmission Function and Neural Networks, 48(2), 225–231.

Zeinoddini, M.—Interface Forces in Laterally Impacted Steel Tubes, 48(3), 265–280.

Zhang, F.J.—Deformation and Failure Modes of Soft Steel Projectiles Impacting Harder Steel Targets at Increasing Velocity, 48(3), 335–354.

Zhang, W.—Creep Properties and Recoverability of Double-wall Corrugated Paperboard, 48(3), 327–333.

Zucker, J.M.—An Experimental Investigation into the Acoustic Characteristics of Fluid-filled Porous Structures—A Simplified Model of the Human Skull Cancellous Structure, 48(2), 139–152.

Zwink, B.—Crack Detection in an Embedded Spindle using Broadband Modal Excitation, 48(4), 509–520.